

'08

Refrigerators catalogue



refrigerators and

combined fridge freezers' p.87

2-door' p.94

1-door' p.98


wine coolers' p.103

side-by-side units' p.104

built-in' p.107

upright freezers' p.120

chest freezers' p.123

A young girl with dark hair and bangs, wearing a light grey long-sleeved shirt and a tan pleated skirt, stands barefoot on a light-colored tiled floor. She is holding a green glass bottle with both hands. To her left is an open refrigerator, showing its interior shelves and compartments. The background features a large window or glass door looking out onto a garden with a large, spiky plant and a paved path. The text "freezers' Innovation" is overlaid on the image in a dark, serif font.

freezers' Innovation

with combined fridge freezers from fagor,
**health is our first
concern'**

exclusive
fagor



Antibacterial interior.
Prevents micro-organisms, moulds and bacteria from reproducing.

Greater cooling speed.
They are the fastest to reach optimum storage conditions with minimum energy consumption.

Classes A+ and A energy efficiency.
By saving energy, they contribute to protecting the environment.

Tropical Climate Class.
They maintain the interior temperature at a constant level, even under the most extreme external climatic conditions.

Electronic temperature control.
They precisely select and maintain the right temperature.




That's Fagor "healthy cold"

The fridges are perfect for users who want to look after themselves with a healthy, balanced diet. With this line of fridges, Fagor brings you the technology needed to serve healthier and better preserved food.

They cool down fastest, use the least energy and help to protect the environment.

Fagor



others



The purest and most hygienic cooling system.
Keeps food good for longer.


Fagor's exclusive cooling system eliminates moulds, bacteria, and unpleasant smells. It purifies the atmosphere inside the fridge, keeping fruit and vegetables fresh and healthy for longer, while preventing micro-organisms from reproducing. These hygienic units also require minimal maintenance.



Antibacterial interior.
Healthy, bacteria-free food.

The fridge freezer's interior walls have undergone a special treatment which, together with the pure and hygienic cooling system, prevents micro-organisms reproducing, and so protects food from mould and bacteria. Double action, for the sake of your health.

Cooling speed



Greater cooling speed.
They are the fastest to reach optimum food storage conditions.

In a comparative study of cooling, these refrigerators were shown to be 35% faster at cooling a 1.5 litre bottle from 25°C to 5°C than other fridges in the market. And they also have the lowest power consumption in the market.



Classes A+ and A.
They have lower power consumption and so help to protect the environment.



The Fagor Combined Fridge Freezers range have all obtained the highest possible scores given by the European Union for energy saving. This is further proof that we are continuing to aim for a balanced relationship between our products and the environment.



tropical

Tropical Climate Class.
They respond effectively to the most extreme conditions.

Even when the outside temperature reaches 43°C (109°F), they continue to work perfectly and keep the temperature constant in both the fridge and the freezer.



Electronic control.
They know what they have to do at all times.

They reach and maintain the temperature selected by the user more precisely and run a continual check on all functions, so they know what to do at all times.

combined fridge freezers'



Multi-Fresh and Double Fresh Systems.

Ensures stored meat and fish maintain all their properties for longer.

Multi-Fresh Compartment. Thanks to a special cold air circulation system, the ideal temperature and humidity conditions, necessary for keeping meat and fish fresh for longer, are maintained. This compartment can also be used for storing fruit and vegetables.

Double Fresh vegetable compartment. In the vegetable compartment there is a special membrane, designed by Fagor, which controls optimum humidity conditions and keeps the temperature stable, thus ensuring that fruit and vegetables remain fresher for longer.

LCD



LCD display with:

- Information line for the date, time and function selection.
- Room temperature.
- Refrigerator temperature.
- Freezer temperature.
- Function activation icons.

Allows the most advanced technology in freezing and cooling to be displayed and controlled.

As well as indicating which functions have been activated, the screen also displays usage recommendations. With 18 languages to choose from, it allows the selection made to be locked in, and it also has a "Demo" function which explains how to use this system.

digital display



Digital display with:

- Temperature selector.
- Rapid refrigerator cooling function with automatic shut-off.
- Holiday Function.
- Refrigerator Door Open Alarm.
- Super-Freeze function with automatic shut-off.
- Compartment temperature display.
- Freezer Alarm indicating an unsafe temperature.

Exact and precise temperature control.

Using a sensor system, it informs the user at all times of the status of the refrigerator and freezer, and visual and acoustic alarms warn if any problem occurs.

Multiventilation panel.

Food can be placed at any height. All the levels are at the same temperature.


Low noise level.

Reduced noise level, for a quiet and peaceful home.

More natural lighting.

A better and clearer view of the inside.

This lighting gives a colder, whiter light, for a sharper, clearer view of the interior.



Uniform low temperature.

In the refrigerator and freezer.

The food storage temperature and humidity conditions inside all parts of the refrigerator are the same.

An interior fan ensures that cold air is distributed uniformly, and the refrigerator returns to the correct temperature quickly enough to ensure that the food is kept under the best possible conditions.

All the drawers in the freezer compartments of our fridge freezers can be used to freeze any type of food perfectly.

no frost duotech'

the best fridge freezer in the world



duotech technology

The perfect combination

This range of No Frost Duotech fridge freezers is the best expression yet of Fagor's long experience in developing new cooling and freezing technologies. Two different technologies working together perfectly in the same machine. As a result, the food is better preserved and the fridge is more user-friendly.

food stays fresh



no frost
duotech

No frost duotech.
The freezer is kept
frost-free.

The freezer, with its No Frost cooling system, freezes all types of food without icing up. Eliminates the tedious work of defrosting and cleaning the freezer compartment.

Your food stays fresh.

The combination of the uniform low temperature and the maintaining of the right humidity level keeps the food in the fridge fresh for longer, without drying it out.



no frost duotech' combined

Model and EAN		Specifications	Diagrams and measurements
 <p>3FC-48 NFCXS ^{new} total stainless steel EAN-13: 8413880151243</p> <p>A energy X stainless steel anti-fingerprint conserver BIO CARE T tropical</p>		<p>Height 2,015 mm</p> <ul style="list-style-type: none"> Interactive LCD display: <ul style="list-style-type: none"> - digital temperature display for each compartment and informational text line in several languages - icons for activating functions, problem indicators and maintenance recommendations - demo and screen lock functions - date and room temperature Independent compartments with electronic temperature control No Frost system in freezer and uniform low temperature in refrigerator Multi-Fresh and Double Fresh Systems Unbreakable glass trays Functions: rapid cooling of the refrigerator and Super-Freeze function with automatic shut-off and holiday function Refrigerator door open alarm Alarm and warning light indicating unsafe freezer temperature Luxury inner door shelves Stainless steel side handle 	<p>2,015 x 598 x 610 mm.</p>
 <p>3FC-48 NFXS ^{new} stainless steel doors EAN-13: 8413880151236</p> <p>A energy X stainless steel anti-fingerprint conserver BIO CARE T tropical</p>		<ul style="list-style-type: none"> Independent compartments with electronic temperature control Digital display indicating compartment temperature No Frost system in freezer and uniform low temperature in refrigerator Multi-Fresh and Double Fresh Systems Unbreakable glass trays Functions: rapid cooling of the refrigerator and Super-Freeze function with automatic shut-off and holiday function Refrigerator door open alarm Alarm and warning light indicating unsafe freezer temperature Luxury inner door shelves Stainless steel side handle 	
 <p>2FC-48 NFX ^{new} stainless steel doors EAN-13: 8413880134512</p> <p>A energy X stainless steel anti-fingerprint conserver BIO CARE T tropical</p>		<p>Height 2,000 mm</p> <ul style="list-style-type: none"> Independent compartments with electronic temperature control Digital display indicating compartment temperature No Frost system in freezer and uniform low temperature in refrigerator Multi-Fresh and Double Fresh Systems Unbreakable glass trays Functions: rapid cooling of the refrigerator and Super-Freeze function with automatic shut-off and holiday function Refrigerator door open alarm Alarm and warning light indicating unsafe freezer temperature Luxury inner door shelves Stainless steel side handle 	<p>2,005 x 598 x 610 mm.</p>
 <p>2FC-48 NF ^{new} white EAN-13: 8413880134505</p> <p>A energy conserver BIO CARE T tropical</p>		<ul style="list-style-type: none"> White side handle (2FC-48 NF) 	

Measurements: Height x Width x Depth










no frost duotech' combined

Model and EAN	Specifications	Diagrams and measurements
<div>  <div> 3FC-47NFXS <small>new</small> stainless steel doors EAN-13: 8413880151144 </div> <div> <div> <div>A</div> energy </div> <div> <div>X</div> stainless steel anti-fingerprint </div> <div> <div>🌿</div> conserver </div> <div> <div>🌿</div> BIO CARE </div> <div> <div>T</div> tropical </div> </div> </div>	<div> Height 1,865 mm </div> <div> <ul style="list-style-type: none"> Interactive LCD display: <ul style="list-style-type: none"> - digital temperature display for each compartment and informational text line in several languages - icons for activating functions, problem indicators and maintenance recommendations - demo and screen lock functions - date and room temperature Independent compartments with electronic temperature control No Frost system in freezer and uniform low temperature in refrigerator Multi-Fresh and Double Fresh Systems Unbreakable glass trays Functions: rapid cooling of the refrigerator and Super-Freeze function with automatic shut-off and holiday function Alarm and warning light indicating unsafe freezer temperature Alarm and warning light indicating unsafe freezer temperature Luxury inner door shelves Stainless steel side handle </div>	<div> 1,865 x 598 x 610 mm </div>
<div>  <div> 2FC-47 NFX <small>new</small> stainless steel doors EAN-13: 8413880134352 </div> <div> <div> <div>A</div> energy </div> <div> <div>X</div> stainless steel anti-fingerprint </div> <div> <div>🌿</div> conserver </div> <div> <div>🌿</div> BIO CARE </div> <div> <div>T</div> tropical </div> </div> </div>	<div> Height 1,850 mm </div> <div> <ul style="list-style-type: none"> Independent compartments with electronic temperature control Digital display indicating compartment temperature No Frost system in freezer and uniform low temperature in refrigerator Multi-Fresh and Double Fresh Systems Unbreakable glass trays Functions: rapid cooling of the refrigerator and Super-Freeze function with automatic shut-off and holiday function Refrigerator door open alarm Alarm and warning light indicating unsafe freezer temperature Luxury inner door shelves </div>	<div> 1,850 x 598 x 610 mm </div>
<div>  <div> 2FC-47 NF <small>new</small> white EAN-13: 8413880134345 </div> <div> <div> <div>A</div> energy </div> <div> <div>🌿</div> conserver </div> <div> <div>🌿</div> BIO CARE </div> <div> <div>T</div> tropical </div> </div> </div>	<div> <ul style="list-style-type: none"> Stainless steel side handle (2FC-47 NFX) White side handle (2FC-47 NF) </div>	

no frost' combined

Model and EAN		Specifications	Diagrams and measurements
 <p>3FC-68 NFXD stainless steel doors EAN-13: 8413880151281</p> <p>energy stainless steel anti-fingerprint BIO filter BIO CARE tropical</p>	<p>3FC-68 NFD white EAN-13: 8413880151274</p> <p>energy BIO filter BIO CARE tropical</p>	<p>Height 2,000 mm</p> <ul style="list-style-type: none"> • Independent compartments with electronic temperature control • Digital display indicating compartment temperature • No Frost System in refrigerator and freezer • Multi-Fresh and Double Fresh Systems • Unbreakable glass trays • Functions: rapid cooling of the refrigerator and Super-Freeze function with automatic shut-off and holiday function • Refrigerator door open alarm • Alarm and warning light indicating unsafe freezer temperature • Stainless steel side handle (3FC-68 NFXD) • White side handle (3FC-68 NFD) 	<p>2,000 x 598 x 610 mm</p>
 <p>3FC-67 NFXD ^{New} stainless steel doors EAN-13: 8413880151229</p> <p>energy stainless steel anti-fingerprint BIO filter BIO CARE tropical</p>	 <p>3FC-67 NFD ^{New} white EAN-13: 8413880151175</p> <p>energy BIO filter BIO CARE tropical</p>	<p>Height 1,850 mm</p> <ul style="list-style-type: none"> • Independent compartments with electronic temperature control • Digital display indicating compartment temperature • No Frost System in refrigerator and freezer • Multi-Fresh and Double Fresh Systems • Unbreakable glass trays • Functions: rapid cooling of the refrigerator and Super-Freeze function with automatic shut-off and holiday function • Refrigerator door open alarm • Alarm and warning light indicating unsafe freezer temperature • Stainless steel side handle (3FC-67 NFXD) • White side handle (3FC-67 NFD) 	<p>1,850 x 598 x 610 mm</p>




















no frost' combined

Model and EAN	Specifications	Diagrams and measurements
<div>  <p>3FC-671 NFX New stainless steel EAN-13: 8413880162508</p> <div>  stainless steel anti-fingerprint  BIO no frost  BIO CARE  tropical </div> </div>	Height 1,850 mm <ul style="list-style-type: none"> • Electronic control • No Frost System in refrigerator and freezer • Double Fresh • Unbreakable glass trays • Functions: rapid refrigerator cooling • Refrigerator door open alarm • Stainless steel side handle (3FC-671 NFX) • White side handle (3FC-671 NF) 	1,850 x 598 x 610 mm
<div>  <p>3FC-671 NF New white EAN-13: 8413880158785</p> <div>  BIO no frost  BIO CARE  tropical </div> </div>		

combined'

<div>  <p>2FC-48 XED New stainless steel doors EAN-13: 8413880134475</p> <div>  energy  stainless steel anti-fingerprint  hygienizer  BIO CARE  tropical </div> </div>	Height 2,000 mm <ul style="list-style-type: none"> • Independent compartments with electronic temperature control • Digital display indicating compartment temperature • Uniform low temperature in refrigerator and freezer • Multi-Fresh and Double Fresh Systems • Unbreakable glass trays • Functions: rapid cooling of the refrigerator and Super-Freeze function with automatic shut-off and holiday function • Refrigerator door open alarm • Alarm and warning light indicating unsafe freezer temperature • Stainless steel side handle (2FC-48 XED) • White side handle (2FC-48 ED) 	2,000 x 598 x 610 mm
<div>  <p>2FC-48 ED New white EAN-13: 8413880134420</p> <div>  energy  hygienizer  BIO CARE  tropical </div> </div>		

Measurements: Height x Width x Depth

Model and EAN		Specifications	Diagrams and measurements
 <p>2FC-47 XED  stainless steel doors EAN-13: 8413880134314</p> <div>      </div>		<p>Height 1,850 mm</p> <ul style="list-style-type: none"> • Independent compartments with electronic temperature control • Digital display indicating compartment temperature • Uniform low temperature in refrigerator and freezer • Multi-Fresh and Double Fresh Systems • Unbreakable glass trays • Functions: rapid cooling of the refrigerator and Super-Freeze function with automatic shut-off and holiday function • Refrigerator door open alarm • Alarm and warning light indicating unsafe freezer temperature • Stainless steel side handle (2FC-47 XED) • White side handle (2FC-47 ED) 	<p>1,850 x 598 x 610 mm</p>
 <p>2FC-47 ED  white EAN-13: 8413880134277</p> <div>     </div>			
 <p>3FC-41 ED  white EAN-13: 8413880134277</p> <div>     </div>		<p>Height 1,700 mm</p> <ul style="list-style-type: none"> • Independent compartments with electronic temperature control • Digital display indicating compartment temperature • Uniform low temperature in refrigerator and freezer • Multi-Fresh and Double Fresh Systems • Unbreakable glass trays • Functions: rapid cooling of the refrigerator and Super-Freeze function with automatic shut-off and holiday function • Refrigerator door open alarm • Alarm and warning light indicating unsafe freezer temperature • White side handle 	<p>1,700 x 598 x 610 mm</p>

the world is evolving in a big way, toward **2-door'**

no frost

Frost-free from top to bottom

These 2-Door models with frost-free cooling in both the fridge and the freezer are available in two widths, 68 and 60 cm.

2-door no frost



Electronic control.
Exact and precise temperature control.

A sensor system keeps the user informed of the status of the refrigerator and the freezer at all times.



Multiventilation Panel.
Easier to clean, no need to defrost.


The cold air is uniformly distributed keeping the refrigerator and freezer frost-free.



Multi-Fresh System.
Keeps meat and fish fresher, without freezing.



2-door



Uniform low temperature.

The food storage temperature and humidity conditions inside all parts of the refrigerator are the same.

Hygienizer Filter.

Cleaner air inside, no unpleasant smells.

The circulating air passes through a filter, which eliminates any bacteria, mould or bad smells in the refrigerator.

Various types of handles.

Two options to choose from.

A straight handle in stainless steel, or a white or metallic side handle.

common features

Class “A” Energy Efficiency.
Offering the maximum saving on the market.



Tropical Climate Class.
These refrigerators maintain the chosen temperature in extreme climate conditions.

Antibacterial interior.
Prevents the growth of micro-organisms.

Model and EAN		Specifications	Diagrams and measurements
 <p>FD-500 NF new white EAN-13: 8413880133898</p> <p>B energy</p>		<p>NO FROST Width 68 cm</p> <ul style="list-style-type: none"> • No Frost System in refrigerator and freezer • Compartments with independent temperature control • Anti-odour Cartridges • Multi-Fresh Compartment • Unbreakable glass trays • Extra large vegetable drawer with separator • Dispenser and storage for ice cubes 	<p>1,820 x 680 x 660 mm</p>
 <p>FD-450 NF new white EAN-13: 8413880133881</p> <p>B energy</p>		<p>NO FROST Width 68 cm</p> <ul style="list-style-type: none"> • No Frost System in refrigerator and freezer • Compartments with independent temperature control • Anti-odour Cartridges • Multi-Fresh Compartment • Unbreakable glass trays • Extra large vegetable drawer with separator • Dispenser and storage for ice cubes 	<p>1,700 x 680 x 660 mm</p>
 <p>FD-281 NFX new stainless steel doors EAN-13: 8413880141428</p> <p>A X BIOCARE T energy stainless steel anti-fingerprint tropical</p>		<p>NO FROST Width 60 cm</p> <ul style="list-style-type: none"> • No Frost System in refrigerator and freezer • Electronic temperature control • Multi-Fresh and Double Fresh Systems • Bottle rack • Unbreakable glass trays • Functions: rapid refrigerator cooling with automatic shut-off and Super-Freezer with manual control • Acoustic door open alarm for fridge and freezer • Stainless steel side handle (FD-281 NFX) • White side handle (FD-281 NF) 	<p>1,700 x 598 x 610 mm</p>
 <p>FD-281 NF new white EAN-13: 8413880135472</p> <p>A BIOCARE T energy tropical</p>			
 <p>3FD-440 NFX new stainless steel EAN-13: 8413880160535 (*) Check availability</p> <p>C energy</p>		<p>NO FROST Width 67 cm</p> <ul style="list-style-type: none"> • No Frost System in refrigerator and freezer • Electronic control de la temperatura • Unbreakable glass trays • Integrated handle 	<p>1,678 x 670 x 677 mm</p>

Measurements: Height x Width x Depth

Model and EAN		Specifications	Diagrams and measurements
 <p>3FD-440 NF new white EAN-13: 8413880158655 (*) Check availability</p> <p>C energy</p>		<p>NO FROST Width 67 cm</p> <ul style="list-style-type: none"> • No Frost System in refrigerator and freezer • Electronic control de la temperatura • Unbreakable glass trays • White integrated handle 	<p>1,678 x 670 x 677 mm</p>
 <p>FD-28 AX stainless steel doors EAN-13: 8413880119632</p> <p>A X + + T energy stainless steel anti-fingerprint hygienizer antibacteria tropical</p>		<p>Width 60 cm</p> <ul style="list-style-type: none"> • Uniform low temperature in refrigerator • Double large-capacity vegetable drawer • Air entry regulation in the vegetable compartment • Bottle Rack • Unbreakable glass trays • Reversible doors • Roller wheels • Stainless steel side handle (FD-28 AX) • White side handle (FD-28 LA) 	<p>1,700 x 598 x 610 mm</p>
 <p>FD-28 LA white EAN-13: 8413880119618</p> <p>A + + T energy hygienizer antibacteria tropical</p>			
 <p>3FD-26 LA new white EAN-13: 8413880158648 (*) Check availability</p> <p>A energy</p>		<p>Width 60 cm</p> <ul style="list-style-type: none"> • Double large-capacity vegetable drawer • Air entry regulation in the vegetable compartment • Unbreakable glass trays • Reversible doors • Roller wheels • White side handle 	<p>1,703 x 545 x 595 mm</p>
 <p>3FD-21 LA white EAN-13: 8413880151311 (*) Check availability</p> <p>A energy</p>		<p>Width 55 cm</p> <ul style="list-style-type: none"> • Extra large vegetable drawer • Air entry regulation in the vegetable compartment • Unbreakable glass trays • Reversible doors • White side handle 	<p>1,430 x 545 x 595 mm</p>

Measurements: Height x Width x Depth

1-door' to be used alone or together



electronic cooler

With a cold water dispenser

The electronic cooler models include a cold water dispenser in the door which is re-fillable and easy-to-use.

electronic coolers




Antibacterial interior. Keeps food healthy.

The refrigerator's interior walls include a special treatment which prevents micro-organisms reproducing, and so protects food from mould and bacteria.



Electronic coolers. Easier and more precise control.

Equipped with a control panel which electronically regulates the refrigerator temperature, a rapid cooling function to speed up food conservation and door open alarm and warning light if the door is not closed properly.



Uniform low temperature. The food storage temperature and humidity conditions are kept the same throughout the refrigerator.



Fagor Side-By-Side unit. More useful space for freezing and keeping food fresh.

Fagor offers a wide selection of sizes in side-by-side units, both white and stainless steel, which allow customers to choose the combination best suited to their needs.

electronic coolers and table top



Class A Energy Efficiency. With huge savings in energy consumption.

The Table Top and Electronic Coolers refrigerator line has been awarded the highest possible ratings in energy efficiency.

L1-door electronic coolers'





Model and EAN		Specifications	Diagrams and measurements
 <p>FSC-22 XE stainless steel door EAN-13: 8413880147864</p> <p>A energy stainless steel anti-fingerprint BIO CARE</p>		<p>Width 60 cm Height 1,810 mm</p> <ul style="list-style-type: none"> • Electronic temperature control • Uniform low temperature • Rapid cooling with automatic shut-off • Door open alarm and warning light • External water dispenser • Holiday function • Bottle rack • Unbreakable glass trays • Reversible door • Roller wheels • Chrome "easy-open" side handle (FSC-22 XE) • White "easy-open" side handle (FSC-22 E) 	<p>1,810 x 595 x 610 mm</p>
 <p>FSC-22 E white EAN-13: 8413880147857</p> <p>A energy BIO CARE</p>		<ul style="list-style-type: none"> • May be installed side-by-side with freezer CFV-22 NFX (FSC-22 XE) • May be installed side-by-side with freezer CFV-22 NF (FSC-22 E) 	
 <p>FSC-20 XE ^{new} stainless steel door EAN-13: 8413880158624</p> <p>A energy stainless steel anti-fingerprint BIO CARE</p>		<p>Width 60 cm Height 1,630 mm</p> <ul style="list-style-type: none"> • Electronic temperature control • Uniform low temperature • Rapid cooling with automatic shut-off • Door open alarm and warning light • Holiday function • Bottle rack • Unbreakable glass trays • Reversible door • Roller wheels • Metallic side handle (FSC-20 XE) • White side handle (FSC-20 E) 	<p>1,630 x 595 x 610 mm</p>
 <p>FSC-20 E ^{new} white EAN-13: 8413880158617</p> <p>A energy BIO CARE</p>		<ul style="list-style-type: none"> • May be installed side-by-side with freezer CFV-20 NFX (FSC-20 XE) • May be installed side-by-side with freezer CFV-20 NF (FSC-20 E) 	

Measurements: Height x Width x Depth

1-door table top cooler'

Model and EAN	Specifications	Diagrams and measurements
<div></div> <div>1FSC-10 LA white EAN-13: 8413880147987</div> <div> energy</div>	<div>Width 60 cm Height 845 mm</div> <div><ul style="list-style-type: none">• Optionally installable under worktop• Extra large vegetable drawer• Unbreakable glass trays• Reversible door• White side handle</div> <div>• May be installed side-by-side with freezer 2CFV-10</div>	820/845 x 545 x 595 mm

4-star 1-door table top'

<div></div> <div>FS-14 LAIN stainless steel look EAN-13: 8413880153148</div> <div> energy</div>	<div>Width 55 cm Height 845 mm 4-star freezer compartment</div> <div><ul style="list-style-type: none">• Optionally installable under worktop• 4-star freezer compartment• Extra large vegetable drawer• Unbreakable glass trays• Reversible door• Chrome side handle (FS-14 LAIN)• White side handle (FS-14 LA)</div>	820/845 x 545 x 595 mm
<div></div> <div>FS-14 LA white EAN-13: 8413880153131</div> <div> energy</div>		

wine coolers'

bringing you the most exquisite sensations

exclusive
fagor



For all kinds of wine coolers.
Make your wine cooler with Fagor.

As you can select different temperatures within the same cupboard, you can maintain a very varied and extensive cooler, and thus have on hand the most appropriate wine for every occasion.



Electronic temperature control.
Maintains the correct temperature exactly, whatever the exterior conditions.



Label holders and glass door.
Convenient visibility.

The fronts of the shelves have label holders so you can identify and classify your bottles better.

The glass door allows just enough light in, and filters out the ultra-violet rays.



No vibrations.
Prevents movement.

Automatic humidity regulation.
Ensures the ideal humidity level.

Uniform low temperature.
All the levels are under the same conditions.

FAGOR





your own wine cooler

Guarantees optimum storage conditions

Simulates the natural conditions of temperature, humidity, light and tranquillity of a wine cooler in order to create optimum storage conditions for all types of wine and sparkling wines.

with 5 shelves

Capacity for up to 155 bottles

They are height adjustable, and slide easily in and out for convenient access to your bottles.



temperature

Each wine requires a different one

The temperature at which it is served is the most important aspect to be taken into account for the properties of the wine to be fully savoured. For red wines, room temperature is recommended, which is also the case for fortified wines. However, white wines should be served chilled.

'Decanting



Allows the oxygen to do its job.

By using a decanter, you will ensure that the contact with oxygen is greater than in the bottle, so the impurities in the aroma will be eliminated. Use it with full-bodied red wines when they are still young, and with older reds to separate out the sediment.

'The cork



Look at it closely; it has a lot to tell you.

The cork is a very convenient visual clue to the quality of the wine. If the cork is stained and smells of wine, you will have a good tasting experience. This means that it has been stored carefully and is well oxygenated. If, on the contrary, it's very dry, this is not a good sign.

'The glass



It will offer you the best aromas and flavours.





A suitable glass can make for a better wine experience. We recommend that the wine glass curves in at the top, so that you get the full effect of all the aromas. It must be made of fine, smooth, transparent glass.

'The tasting



The moment you've been waiting for has arrived.

Take your time, don't rush it. Savour, feel. Use your senses - seeing, smelling and tasting - to fully experience all the wine's nuances. The most logical way to experience a wine is first to look at it, then smell it and, finally, taste it.

Model and EAN		Specifications	Diagrams and measurements
	FSV-176  bordeaux EAN-13: 8413880143309	Height 1,769 mm <ul style="list-style-type: none">• Capacity for up to 155 bottles• Electronic control with temperature pilot lights• Double safety thermostat with warning light• Electronic humidity sensor with warning light• Uniform temperature distribution• Great anti-vibration stability• Anti-odour filter• Height adjustable wooden shelves• Reversible glass door with lock	1,769 x 595 x 600 mm
	FSV-85  black EAN-13: 8413880153124	Height 870 mm <ul style="list-style-type: none">• Capacity for up to 34 bottles• Electronic control with temperature pilot lights• Digital temperature control• Wooden shelves• Reversible glass door with lock	870 x 504 x 530 mm

Side by Side' stainless steel fridge freezer units



The double unit, including the kits, has a total width of 1,215 mm.

new

Two fridge freezers together.
Twice as much healthy food in your kitchen.

Fagor offers you the option of creating double units with any of its stainless steel fridge freezers, thanks to the new KIT-24X, which can be used with fridge freezers of any height.

This allows the user to enjoy the advantages of the Fagor line twice over, and, at the same time, make the kitchen even more stylish.



energy

























stainless steel
anti-fingerprint
















tropical

Side-by-Side units'



Model and EAN		Specifications	Diagrams and measurements
	REFRIGERATOR FSC-22 XE stainless steel door EAN-13: 8413880147864    energy stainless steel anti-fingerprint	<ul style="list-style-type: none"> • Electronic temperature control • Uniform low temperature • Rapid cooling with automatic shut-off • Door open alarm and warning light • Chrome "easy-open" side handle • Other features: see page 98 	1,810 x 595 x 600 mm
	FREEZER CFV-22 NFX stainless steel door EAN-13: 8413880147840     energy stainless steel anti-fingerprint no frost tropical	<ul style="list-style-type: none"> • Electronic control con indicadores luminosos de temperatura • Super-Freeze function with automatic shut-off • Alarm and warning light indicating unsafe freezer temperature • Special "pizza" compartment • Chrome "easy-open" side handle • Other features: see page 120 	1,810 x 600 x 600 mm
	REFRIGERATOR FSC-22 E white EAN-13: 8413880147857   energy	<ul style="list-style-type: none"> • Electronic temperature control • Uniform low temperature • Rapid cooling with automatic shut-off • Door open alarm and warning light • Other features: see page 98 	1,810 x 595 x 600 mm
	FREEZER CFV-22 NF white EAN-13: 8413880147833    energy no frost tropical	<ul style="list-style-type: none"> • No Frost System • Electronic temperature control • Super-Freeze function with automatic shut-off • Alarm and warning light indicating unsafe freezer temperature • Built in ice-maker compartments • Other features: see page 120 	1,810 x 600 x 600 mm
	REFRIGERATOR FSC-20 XE new stainless steel door EAN-13: 8413880158624    energy stainless steel anti-fingerprint	<ul style="list-style-type: none"> • Electronic temperature control • Uniform low temperature • Rapid cooling with automatic shut-off • Door open alarm and warning light • Other features: see page 98 	1,630 x 595 x 610 mm
	FREEZER CFV-20 NFX new stainless steel door EAN-13: 8413880158563     energy stainless steel anti-fingerprint no frost tropical	<ul style="list-style-type: none"> • No Frost System • Electronic temperature control • Super-Freeze function with automatic shut-off • Alarm and warning light indicating unsafe freezer temperature • Built in ice-maker compartments • Other features: see page 120 	1,630 x 595 x 610 mm

Measurements: Height x Width x Depth

Model and EAN		Specifications	Diagrams and measurements
 <p>REFRIGERATOR FSC-20 E  white EAN-13: 8413880158617</p> <p>  energy</p> <p>FREEZER CFV-20 NF  white EAN-13: 8413880158556</p> <p>   energy no frost tropical</p>		<ul style="list-style-type: none"> • Electronic temperature control • Uniform low temperature • Rapid cooling with automatic shut-off • Door open alarm and warning light • Other features: see page 98 <ul style="list-style-type: none"> • No Frost System • Electronic temperature control • Super-Freeze function with automatic shut-off • Alarm and warning light indicating unsafe freezer temperature • Built in ice-maker compartments • Other features: see page 120 	<p>1,630 x 595 x 610 mm</p> <p>1,630 x 595 x 610 mm</p>
 <p>REFRIGERATOR 1FSC-10 LA  white EAN-13: 8413880147987</p> <p> energy</p> <p>FREEZER 2CFV-10  white EAN-13: 8413880148045</p> <p> energy</p>		<ul style="list-style-type: none"> • Optionally installable under worktop • Extra large vegetable drawer • Unbreakable glass trays • Reversible door • White side handle • Other features: see page 99 <ul style="list-style-type: none"> • Optionally installable under worktop • Super-Freeze function • Transparent freezer baskets • White side handle • Other features: see page 121 	<p>845 x 545 x 595 mm</p> <p>845 x 545 x 595 mm</p>

built-in' in perfect harmony with the environment



Model and EAN		Specifications	Diagrams and measurements
	1FIC-37 L <small>new</small> EAN-13: 8413880155364 A energy	Height 1,770 mm <ul style="list-style-type: none">• Uniform low temperature in refrigerator• Glass trays• Reversible doors	 <p>(*) Condenser included. (**) Base and upper plate included.</p>

	FIS-122 <small>new</small> EAN-13: 8413880135960 A energy	Height 819 mm <ul style="list-style-type: none">• Hidden evaporator• Glass trays• Reversible door• May be installed side-by-side with model CIV-22	 <p>(*) Condenser included.</p>
--	--	---	--

IMPORTANT: See ventilation system in the cabinet in the page 115

No Frost combined fridge freezers'

		NO FROST DUOTECH				NO FROST		
		2,015 mm.	2,000 mm.	1,865 mm.	1,850 mm.	2,000 mm.	1,850 mm.	
		3FC-48 NFCXS 3FC-48 NFXS	2FC-48 NFX 2FC-48 NF	3FC-47 NFXS	2FC-47 NFX 2FC-47 NF	3FC-68 NFXD 3FC-68 NFD	3FC-67 NFXD 3FC-67 NFD	3FC-671 NFXD 3FC-671 NFD
CAPACITY								
Refrigerator volume (L)	Gross	282	282	245	245	280	243	243
	Usable	278	278	241	241	279	242	242
Freezer volume (L)	Gross	88	88	88	88	88	88	88
	Usable	69	69	69	69	69	69	69
Total volume (L)	Gross	370	370	333	333	368	331	331
	Usable	347	347	310	310	348	311	311
GENERAL FEATURES								
Compressors (1 / 1+Electrovalve)		1+ E	1+ E	1+ E	1+ E	1	1	1
Reversible left/right doors		●	●	●	●	●	●	●
Roller wheels		●	●	●	●	●	●	●
REFRIGERATOR FEATURES								
Double Fresh System		●	●	●	●	●	●	●
Bio Filter/Conserver		-/-●	-/-●	-/-●	-/-●	●/-	●/-	
Temperature indicator (LCD/Display)		●/-	-/-●	●/-	-/-●	-/-●	-/-●	
Plastic vegetable tray with glass window		●	●	●	●	●	●	●
Uniform low temperature		●	●	●	●	No Frost	No Frost	No Frost
Automatic cyclical defrosting		●	●	●	●			
Automatic evaporation		●	●	●	●			
Multiventilation panel						●	●	●
Interior light		●	●	●	●	●	●	●
Bottle shelves		●	●	●	●	●	●	●
Bottle holder		●	●	●	●	●	●	●
Door shelf separator		●	●	●	●	●	●	
Egg rack		2	2	2	2	2	2	2
Number of trays		4	4	4	4	4	4	3
Tray material		Glass	Glass	Glass	Glass	Glass	Glass	Glass
Bottle rack		●	●	●	●	●	●	
Adjustable vegetable drawers		1	1	1	1	1	1	1
Special low temperature zone (Multi-Fresh System)		●	●	●	●	●	●	
Drain		●	●	●	●			
Replaceable seals		●	●	●	●	●	●	●
FREEZER FEATURES								
Uniform low temperature		No Frost	No Frost	No Frost	No Frost	No Frost	No Frost	No Frost
Temperature indicator (LCD/Display/Pilot light)		●/-/-	-/-●/-	●/-/-	-/-●/-	-/-/-●	-/-/-●	
Multi-position freezing tray		●	●	●	●	●	●	●
Closed drawers		3	3	3	3	3	3	3
Ice cube container		●	●	●	●	●	●	
Ice trays		1	1	1	1	1	1	1
Replaceable seals		●	●	●	●	●	●	●
OPERATION CONTROL								
Refrigerator door open alarm		+ Icon	●	+ Icon	●	●	●	●
Alarm and warning light indicating unsafe freezer temperature		+ Icon	●	+ Icon	●	●	●	
Refrigerator temperature selection (Touch/Degree Selector Control)		●/-	●/-	●/-	●/-	●/-	●/-	
Freezer temperature selection (Touch/Degree Selector Control)		●/-	●/-	●/-	●/-	●/-	●/-	
Refrigerator temperature display		LCD	●	LCD	●	●	●	●
Freezer temperature display		LCD	●	LCD	●	●	●	
Rapid refrigerator cooling (Key+Pilot light)		+ Icon	●	+ Icon	●	●	●	●
Super-Freezer (Key+Pilot light)		+ Icon	●	+ Icon	●	●	●	
Holiday function		+ Icon	●	+ Icon	●	●	●	
TECHNICAL SPECIFICATIONS								
Number of stars		4	4	4	4	4	4	4
Climate class (1)		SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	N-T
Energy class		A	A	A	A	A	A	A
Electricity consumption (kWh/24h)		1.05	1.05	1	1	1.05	1	1
Annual electricity consumption (kWh/year)		385	385	365	365	385	365	365
Freezing power (kg/24h)		13	13	13	13	13	13	5
Autonomy (h)		12	12	12	12	10	10	10
Nominal wattage (W)		150	150	150	150	160	160	160
Voltage (V)		220/240	220/240	220/240	220 /240	220 /230	220 /230	220 /240
Frequency (Hz)		50	50	50	50	50	50	50
Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a
DIMENSIONS								
Dimensions (mm)	Height	2015	2000	1865	1850	2000	1850	1850
	Width	598	598	598	598	598	598	598
	Depth	610	610	610	610	610	610	610

(1) Climate Class SN-T: Room temperature between +10° C and + 43° C
Climate Class N-T: Room temperature between +16° C and + 43° C

combined fridge freezers'

		2,000 mm.	1,850 mm	1,700 mm.
		2FC-48 XED 2FC-48 ED	2FC-47 XED 2FC-47 ED	3FC-41 ED
CAPACITY				
Refrigerator volume (L)	Gross	282	245	209
	Usable	278	241	204
Freezer volume (L)	Gross	98	98	98
	Usable	79	79	79
Total volume (L)	Gross	380	343	307
	Usable	357	320	284
GENERAL FEATURES				
Compressors (1 / 1+Electrovalve)		1+ E	1+ E	1+ E
Reversible left/right doors		●	●	●
Roller wheels		●	●	●
Drain		●	●	●
REFRIGERATOR FEATURES				
Double Fresh System		●	●	●
Filtro Hygienizer		●	●	●
Temperature indicator with display		●	●	●
Plastic vegetable tray with glass window		●	●	●
Uniform low temperature		●	●	●
Automatic cyclical defrosting		●	●	●
Automatic evaporation		●	●	●
Interior light		●	●	●
Bottle shelves		●	●	●
Bottle holder		●	●	●
Door shelf separator		●	●	●
Egg rack		2	2	2
Number of trays		4	4	3
Tray material		Glass	Glass	Glass
Bottle rack		●	●	●
Adjustable vegetable drawers		1	1	1
Special low temperature zone (Multi-Fresh System)		●	●	●
Replaceable seals		●	●	●
FREEZER FEATURES				
Uniform low temperature		●	●	●
Temperature indicator (Display)		●	●	●
Multi-position freezing tray		●	●	●
Closed drawers		3	3	3
Ice cube container		●	●	●
Ice trays		1	1	1
Drain in the freezer		●	●	●
Replaceable seals		●	●	●
OPERATION CONTROL				
Refrigerator door open alarm		●	●	●
Alarm and warning light indicating unsafe freezer temperature		●	●	●
Refrigerator temperature selection (Touch)		●	●	●
Freezer temperature selection (Touch)		●	●	●
Refrigerator temperature display		●	●	●
Freezer temperature display		●	●	●
Rapid refrigerator cooling (Key+Pilot light)		●	●	●
Super-Freeze (Key+Pilot light)		●	●	●
Holiday function		●	●	●
TECHNICAL SPECIFICATIONS				
Number of stars		4	4	4
Climate class (1)		SN-T	SN-T	SN-T
Energy class		A+	A+	A
Electricity consumption (kWh/24h)		0.83	0.78	0.89
Annual electricity consumption (kWh/year)		302	286	325
Freezing power (kg/24h)		16	16	14
Autonomy (h)		14	14	14
Nominal wattage (W)		105	105	105
Voltage (V)		220 / 240	220 / 240	220 / 240
Frequency (Hz)		50	50	50
Gas		R600a	R600a	R600a
DIMENSIONS				
Dimensions (mm)	Height	2000	1850	1700
	Width	598	598	598
	Depth	610	610	610

(1) Climate Class SN-T: Room temperature between +10° C and + 43° C

2-door no frost' refrigerators

		NO FROST			
		WIDTH 68 cm.		WIDTH 60 cm.	WIDTH 67 cm.
		FD-500 NF	FD-450 NF	FD-281 NFX FD-281 NF	3FD-440 NFX 3FD-440 NF
CAPACITY					
Refrigerator volume (L)	Gross	300	263	244	314
	Usable	285	248	235	297
Volume Freezer (L)	Gross	107	107	60	121
	Usable	99	99	56	118
Total volume (L)	Gross	407	370	304	435
	Usable	384	347	291	415
GENERAL FEATURES					
Compressors		1	1	1	1
Reversible left/right doors				●	●
Roller wheels		●	●	●	●
REFRIGERATOR FEATURES					
Listeria thermometer		●	●		
Glass vegetable tray		●	●		
Plastic vegetable tray with glass window				●	
Uniform low temperature		No Frost	No Frost	No Frost	No Frost
Automatic cyclical defrosting					
Multiventilation panel		●	●	●	●
Interior light		●	●	●	●
Bottle shelves		●	●	●	●
Bottle holder		●	●	●	●
Door shelf separator				●	●
Egg rack		1	1	2	2
Number of trays		2	2	3	3
Tray material		Glass	Glass	Glass	Glass
Bottle rack				●	●
Vegetable drawers		1	1	2	2
Special low temperature zone (Multi-Fresh System)		●	●	●	●
Replaceable seals		●	●	●	●
FREEZER FEATURES					
Uniform low temperature		No Frost	No Frost	No Frost	No Frost
Inner door shelves		2	2	1	1
Tray (glass/rack)		●/-	●/-	-/●	-/●
Ice cube container		●	●		
Ice trays		2	2	1	1
Replaceable seals		●	●	●	●
Super-Freezer compartment					
OPERATION CONTROL					
Refrigerator and freezer door open alarm				●	
Refrigerator temperature selection (Thermostat/Control Degree Selector)		●/-	●/-	-/●	
Freezer temperature selection (Control Degree Selector)					
Rapid refrigerator cooling (Key+Pilot light)				●	
Super-Freeze (Key+Pilot light)				Manual reg.	
TECHNICAL SPECIFICATIONS					
Number of stars		4	4	4	4
Climate class (1)		ST	ST	SN-T	ST
Energy class		B	B	A	C
Electricity consumption (kWh/24h)		1.535	1.398	0.94	1.85
Annual electricity consumption (kWh/year)		560	510	343	675
Freezing power (kg/24h)		6	6	8	6
Autonomy (h)		9	9	10	5
Nominal wattage (W)		128+152	128+152	170	160
Voltage (V)		220/240	220/240	220/240	220/240
Frequency (Hz)		50	50	50	50
Gas		R134a	R134a	R600a	R134a
DIMENSIONS					
Dimensions (mm)	Height	1820	1700	1700	1678
	Width	680	680	600	670
	Depth	660	660	610	677

(1) Climate Class ST: Room temperature between +18° C and + 38° C
Climate Class SN-T: Room temperature between +10° C and + 43° C
Climate Class SN-ST: Room temperature between +10° C and + 38° C

2-door' refrigerators

		WIDTH 60 cm.			WIDTH 55 cm.
		FD-28 AX	FD-28 LA	FD-26 LA	FD-21 LA
CAPACITY					
Refrigerator volume (L)	Gross	250	250	223	176
	Usable	243	243	208	170
Volume Freezer (L)	Gross	74	74	53	43
	Usable	74	74	52	42
Total volume (L)	Gross	324	324	276	219
	Usable	317	317	260	212
GENERAL FEATURES					
Compressors		1	1	1	1
Reversible left/right doors		•	•	•	•
Roller wheels		•	•	•	•
REFRIGERATOR FEATURES					
Vegetable tray (with ventilation)		•	•	Glass	Glass
Listeria thermometer		•	•	•	•
Uniform low temperature in refrigerator		•	•		
Hidden evaporator		•	•	•	•
Automatic cyclical defrosting		•	•	•	•
Interior light		•	•	•	•
Automatic evaporation		•	•	•	•
Bottle shelves		•	•	•	•
Bottle holder		•	•		
Egg rack		2	2	2	2
Number of trays / racks		4	4	4	3
Tray material / racks		Glass	Glass	Glass	Glass
Vegetable drawers		2	2	2	1
Bottle rack		•	•		
Vegetable drawer ventilation grill		•	•	•	•
FREEZER FEATURES					
Ice trays		2	2	2	2
Tray (Rack)		1	1	1	1
OPERATION CONTROL					
Refrigerator temperature selection (Thermostat)		•	•	•	•
TECHNICAL SPECIFICATIONS					
Number of stars		4	4	4	4
Climate class (1)		N-T	N-T	ST	ST
Energy class		A	A	A	A
Electricity consumption (kWh/24h)		0.91	0.91	0.75	0.76
Annual electricity consumption (kWh/year)		332	332	274	277
Freezing power (Kg/24h)		3.5	3.5	2.5	2.5
Autonomy (h)		12	12	20	14
Nominal wattage (W)		189	189	100	80
Voltage (V)		220 / 240	220 / 240	220 / 240	220 / 240
Frequency (Hz)		50	50	50	50
Gas		R600a	R600a	R600a	R600a
DIMENSIONS					
Dimensions (mm)	Height	1700	1700	1703	1430
	Width	598	598	545	545
	Depth	610	610	595	595

(1) Climate Class N-T: Room temperature between +16° C and + 43° C
Climate Class ST: Room temperature between +18° C and + 38° C

1-door' refrigerators

		WIDTH 60 cm.		WIDTH 55 cm.	
		COOLER			
		FSC-22 XE FSC-22 E	FSC-20 XE FSC-20 E	1FSC-10 LA	FS-14 LAIN FS-14 LA
CAPACITY					
Refrigerator volume (L)	Gross	378	333	140	112
	Usable	374	329	130	102
Volume Freezer (L)	Gross				13
	Usable				13
Total volume (L)	Gross	378	333	140	125
	Usable	374	329	130	115
GENERAL FEATURES					
Compressors		1	1	1	1
Form side-by-side combinations		●	●	●	
Reversible left/right door		●	●	●	●
Roller wheels		●	●	●	●
REFRIGERATOR FEATURES					
Vegetable tray (Plastic/Plastic with Aeration)		Glass	Glass	Glass	Glass
Uniform low temperature		●	●		
Hidden evaporator		●	●		●
Automatic cyclical defrosting		●	●		●
Automatic evaporation		●	●		
Interior light		●	●	●	●
Bottle shelves		●	●	●	●
Bottle holder		●	●		
Egg rack		2	2	1	
Number of trays / racks		6	4	3	2
Tray material / racks		Glass	Glass	Glass	Glass
Bottle rack		●	●		
Vegetable drawers		1	1	1	1
Replaceable seals		●	●	●	●
FREEZER FEATURES					
Ice trays					1
Freezer compartment ****					●
OPERATION CONTROL					
Alarm and warning light indicating unsafe freezer temperature		●	●		
Refrigerator temperature selection (Control Degree Selector/Thermostat)		Touch	Touch	-/●	●/-
Rapid refrigerator cooling (Key+ Pilot light)		●	●		
TECHNICAL SPECIFICATIONS					
Number of stars					4
Climate class (1)		SN-ST	N-ST	N	N
Energy class		A	A	A	A
Electricity consumption (kWh/24h)		0.50	0.39	0.41	0.55
Annual electricity consumption (kWh/year)		183	142	150	200
Freezing power (kg/24 h.)					2
Autonomy (h)					13
Nominal wattage (W)		80	75	64	70
Voltage (V)		220 / 240	220 / 240	220 / 240	220 / 240
Frequency (Hz)		50	50	50	50
Gas		R600a	R600a	R600a	R600a
DIMENSIONS					
Dimensions (mm)	Height	1810	1630	820/845	820 / 845
	Width	595	595	545	545
	Depth	610	610	595	595

(1) Climate Class N-ST: Room temperature between +16° C and + 38° C
Climate Class N: Room temperature between +16° C and + 32° C
Climate Class SN-ST: Room temperature between +10° C and + 38° C

		WINE COOLERS	
		FSV-176	FSV-85
CAPACITY			
Volumen (L)	Gross	340	128
	Usable	300	110
Bottle capacity		155	34
GENERAL FEATURES			
Silent anti-vibration compressor		1	1
Reversible left/right door		●	●
Number of shelves		5	6
Wooden shelves		●	●
Glass door		●	●
Anti-odour filter		●	
Uniform low temperature		●	
Hidden evaporator		●	●
Interior light		●	
Lock		●	●
OPERATION CONTROL			
Refrigerator temperature selection (Degree Selector Control+Warning Lights)		●	●
Electronic humidity control		●	
Warning light indicating unsuitable degree of humidity		●	
Double safety thermostat		●	
Warning light indicating unsuitable temperature		●	
TECHNICAL SPECIFICATIONS			
Climate class (1)		SN-ST	ST
Electricity consumption (kWh/24h)		0.95	0.80
Annual electricity consumption (kWh/year)		347	292
Nominal wattage (W)		160	85
Voltage (V)		220 / 240	220 / 240
Frequency (Hz)		50 - 60	50 - 60
Gas		R134a	R600a
Noise level (dB)		36	39
DIMENSIONS			
Dimensions (mm)	Height	1769	855
	Width	595	504
	Depth	600	530

(1) Climate Class SN-ST: Room temperature between +10° C and + 38° C
Climate Class ST: Room temperature between +18° C and + 38° C

Side-by-Side' units


		SIDE-BY-SIDE UNITS					
		FREE-STANDING				BUILT-IN UNDER WORKTOP	
		FREEZER	COOLER	FREEZER	COOLER	FREEZER	COOLER
		CFV-22 NFX CFV-22 NF	FSC-22 XE FSC-22 E	CFV-20 NFX CFV-20 NF	FSC-20 XE FSC-20 E	2CFV-10	1FSC-10 LA
CAPACITY							
Refrigerator volume (L)	Gross	378		333		140	
	Usable	374		329		130	
Freezer volume (L)	Gross	267		232		108	
	Usable	241		210		100	
Total volume (L)	Gross	378		333		140	
	Usable	374		329		130	
GENERAL FEATURES							
Compressors (1 / 1+Electrovalve)		1	1	1	1	1	1
Form side-by-side combinations		●	●	●	●	●	●
Reversible left/right door		●	●	●	●	●	●
Side by side unit (optional)		Kit -99 X / Kit -99		Kit -99 X / Kit -99			
Kit itx (opcional)						●	●
Roller wheels			●		●		●
Meat storage compartment							
Special low temperature meat storage area							
REFRIGERATOR FEATURES							
Vegetable tray			Glass		Glass		Glass
Multiventilation panel							
Uniform low temperature in refrigerator			●		●		
Hidden evaporator			●		●		
Automatic cyclical defrosting			●		●		
Automatic evaporation			●		●		
Interior light			●		●		
Bottle shelves			●		●		●
Bottle holder			●		●		●
Egg rack			2		2		1
Number of trays / racks			6		4		3
Tray material / racks			Glass		Glass		Glass
Bottle rack			●		●		
Vegetable drawers			1		1		1
Replaceable seals			●		●		●
FREEZER FEATURES							
Cold water / crushed ice dispenser							
Multiventilation panel							
Compartments with folding lid		1		1		1	
Food distribution basket		7		6		2	
Rapid ice maker (eutectic)							
Defrost drain							
Uniform low temperature		No Frost		No Frost			
Ice trays							
Trays							
Replaceable seals		●		●		●	
OPERATION CONTROL							
Refrigerator door open alarm and warning light			●		●		
Alarm and warning light indicating unsafe freezer temperature		●		●		●	
Refrigerator temperature selection (Control Degree Selector/Thermostat)			Touch		Touch		- / ●
Independently adjustable temperature		●		●			
Rapid refrigerator cooling (Key+Pilot light)			●		●		
Frontal temperature control		●		●		●	
Freezer temperature pilot lights (LEDs)		Display		Display		●	
Start/Stop (Key + Pilot light)		●		●		●	
Super-Freeze (Key + Pilot light)		●		●		●	
TECHNICAL SPECIFICATIONS							
Number of stars		3		4		4	
Climate class (1)		SN-T	SN-ST	SN-T	N-ST	N	N
Energy class		A	A	A	A	A	A
Electricity consumption (kWh/24h)		0.87	0.50	0.76	0.39	0.56	0.41
Annual electricity consumption (kWh/year)		319	183	279	142	204	150
Freezing power (kg/24h)		24		21		10	
Autonomy (h)		23		23		14	
Nominal wattage (W)		95	80	145	75	70	64
Voltage (V)		220 / 240	220 / 240	220 / 240	220 / 240	220 / 240	220 / 240
Frequency (Hz)		50	50	50	50	50	50
Gas		R600a	R600a	R600a	R600a	R600a	R600a
DIMENSIONS							
Dimensions (mm)	Height	1810	1810	1630	1630	845	820/845
	Width	595	595	595	595	545	545
	Depth	600	600	610	610	595	595
The double unit, including the kits (mm.)		1215		1215			

- (1) Climate Class SN-T: Room temperature between +10° C and + 43° C
Climate Class SN-ST: Room temperature between +10° C and + 38° C
Climate Class N-ST: Room temperature between +16° C and + 38° C
Climate Class N: Room temperature between +16° C and + 32° C



		FRIDGES FREEZERS	
		COMBINED	1-DOOR
		1FIC-37 L	FIS-122
CAPACITY			
Refrigerator volume (L)	Gross	200	148
	Usable	198	146
Freezer volume (L)	Gross	81	
	Usable	65	
Total volume (L)	Gross	281	148
	Usable	263	146
GENERAL FEATURES			
Compressors		1	1
Reversible left/right door		●	●
Form side-by-side combinations			●
ITX			●
REFRIGERATOR FEATURES			
Listeria thermometer			●
Vegetable tray		Glass	Glass
Hidden evaporator		●	●
Uniform low temperature		●	
Automatic cyclical defrosting		●	●
Automatic evaporation		●	●
Interior light		●	●
Bottle shelves		●	●
Egg rack		1	1
Number of trays		3	3
Glass trays		●	●
Vegetable drawers		2	2
Drain		●	
FREEZER FEATURES			
Closed drawers		3	
Ice trays		1	
Freezer compartment ****		●	
Drain		●	
OPERATION CONTROL			
Door open alarm and warning light		●	
Alarm and warning light indicating unsafe freezer temperature		●	
Refrigerator temperature selection (Thermostat)		●	●
TECHNICAL SPECIFICATIONS			
Number of stars		4	
Climate class (1)		SN-ST	N
Energy class		A	A
Electricity consumption (kWh/24h)		0,85	0,42
Annual electricity consumption (kWh/year)		310	153
Freezing power (kg/24h)		6	
Autonomy (h)		19	
Nominal wattage (W)		140	100
Tension (V)		220 / 240	220 / 240
Frequency (Hz)		50	50
Gas		R600a	R600a
DIMENSIONS			
Dimensions (mm)	Height	1770	819
	Width	540	596
	Depth	545	545

(1) Climate Class SN-ST: Room temperature between +10° C and + 38° C
Climate Class N: Room temperature between +16° C and + 32° C







IMPORTANT
Ventilation system in the cabinet
for built-under/built-in refrigerators



Accessories Side-by-Side' units

	Model, Code and EAN	Specifications
	KIT-99 X Code 993010326 EAN-13: 8413880161433	Optional Accessory: coupling for Side-by-Side Units. Can be used to combine: the FSC-22 XE with the Freezer CFV-22 NFX and FSC-20 XE with the Freezer CFV-20 NFX
	KIT-99 Code 993010317 EAN-13: 8413880161426	Optional Accessory: coupling for Side-by-Side Units. Can be used to combine: the FSC-22 E with the Freezer CFV-22 NF and FSC-20 E with the Freezer CFV-20 NF
	KIT-24 X Code 993010308 EAN-13: 8413880161419	Optional Accessory: coupling for Side-by-Side Units. Can be used to combine two Fagor's combined fridges.

Combined fridge-freezer, no frost duotech, no frost, 2-door and coolers' accessories

	Model, Code and EAN		Specifications
	HYGIENIZER FILTRO-CARB 12 units Code 993010139 EAN-13: 8413880133874	 hygienizer	Keeps food fresh for longer, eliminates mould and bacteria from the refrigerator.
	CONSERVER-FIL 12 units Code 993010282 EAN-13: 8413880156064	 conserver	Keeps food fresh for longer, eliminates mould and bacteria from the refrigerator.
	BIO FILTER 10 units Code 993010246 EAN-13: 8413880152936	 BIO filter	New accessory which absorbs odours and eliminates mould and bacteria from the refrigerator.



Fagor Electrodomésticos, S. Coop.

Tel. 943 03 71 00

Fax 943 03 71 19

Barrio San Andrés, 18

20500 MONDRAGÓN (Gipuzkoa)

www.fagor.com

info@fagor.com

